


## Instructions for Using the Non-prescription Prenatal MVM Calculator

The calculator screen will show a **default** number for each ingredient labeled amount for non-prescription prenatal MVMs, indicating the *most common labeled level* and its predicted mean level, calculated using the regression equation for that ingredient. Also calculated are the standard errors for the mean and for an individual observation and the percent difference from label for the mean prediction. All of these are per serving values. For more information about the statistical evaluation of prenatal MVM data, see the *Non-prescription Prenatal MVM Research Summary* on the DSID website.

Supplement Facts		
Serving Size: Two (2) capsules		
	Amount per serving	%Daily Value
Vitamin C (as ascorbic acid)	100 mg	167%
Vitamin B-1 (as thiamin)	1.5 mg	100%
Vitamin B-2 (as riboflavin)	1.7 mg	100%
Niacinamide	20 mg	100%
Vitamin B-6	10 mg	500%
(as pyridoxine HCL)		
Folic Acid	1000 mcg	250%
Vitamin B-12	6 mcg	100%
(as cyanocobalamin)		
Biotin	150 mcg	50%
Pantothenic Acid	5 mg	50%
Other ingredients: Gelatin, whey, magnesium stearate, stearic acid.		


Use the label information from the supplement container to enter the specific ingredient amount per serving (not the % Daily Value).

1. Enter values for any or all 21 ingredients within the range listed below each box. Press the 'tab' key on your keyboard or click outside the box to view entered data. Your calculated results, including your entered data, will appear in **red**.



National Institutes of Health  
Office of Dietary Supplements

## Dietary Supplement Ingredient Database



[Home](#) | [Contact](#) | [Help](#)

**DSID-3 Data and Documentation**

Research Summaries

Data Files

Adult MVM Calculator

Children's MVM Calculator

Non-prescription Prenatal MVM Calculator

**DSID Project**

About DSID

Current Research

Publications and Presentations

Release History

### Non-prescription Prenatal Multivitamin/mineral Calculator

[Restore Default](#) | [Conversions](#) | [Save](#) | [View Saved](#) | [Help](#)

Select Values to Save	Ingredient in DSID (Common Synonyms)	Labeled Amount Per Serving (Valid Range for Prediction)	Predicted Mean Value Per Serving	Standard Error for Predicted Mean	Standard Error for Predicted Observation	Percent Difference From Label for Predicted Mean
<input checked="" type="checkbox"/>	VITAMIN A	<span style="border: 1px solid red; padding: 2px;">3000</span> IU (2000 - 17000)	3070 IU	100	980	2.40%
<input type="checkbox"/>	VITAMIN C	<span style="border: 1px solid gray; padding: 2px;">120</span> mg (32 - 360)	124 mg	2.9	26	3.56%
<input type="checkbox"/>	VITAMIN D	<span style="border: 1px solid gray; padding: 2px;">400</span> IU (100 - 1000)	452 IU	19	180	13.1%

**NOTE:** If the values entered are outside the range indicated in the brackets, then a message which says "Outside Range" will appear.

tocopherol)						
<input checked="" type="checkbox"/>	THIAMIN (vitamin B-1)	<span style="border: 1px solid red; padding: 2px;">0.5</span> mg (0.75 - 5)	Outside Range	--	--	--
BIOFLAVONOIDS						

2. Select the 'Save' link near the top of the page.



## Dietary Supplement Ingredient Database



Home Contact Help

**DSID-3 Data and Documentation**

- Research Summaries
- Data Files
- Adult MVM Calculator
- Children's MVM Calculator
- Non-prescription Prenatal MVM Calculator

**DSID Project**

- About DSID
- Current Research
- Publications and Presentations
- Release History

**Non-prescription Prenatal Multivitamin/mineral Calculator**

[Restore Default](#) | [Conversions](#) | [Save](#) | [View Saved](#) | [Help](#)

Select Values to Save	Ingredient in DSID (Common Synonyms)	Labeled Amount Per Serving (Valid Range for Prediction)	Predicted Mean Value Per Serving	Standard Error for Predicted Mean	Standard Error for Predicted Observation	Percent Difference From Label for Predicted Mean
<input checked="" type="checkbox"/>	VITAMIN A	<input type="text" value="3000"/> IU (2000 - 17000)	3070 IU	100	980	2.40%
<input type="checkbox"/>	VITAMIN C	<input type="text" value="120"/> mg (32 - 360)	124 mg	2.9	26	3.56%
<input type="checkbox"/>	VITAMIN D	<input type="text" value="400"/> IU (100 - 1000)	452 IU	19	180	13.1%

3. Assign a profile name to each set of calculations.

NIH National Institutes of Health Office of Dietary Supplements

USDA

Dietary Supplement Ingredient Database

Home Contact Help

**Non-prescription Prenatal Multivitamin/mineral Calculator**

[Restore Default](#) | [Conversions](#) | [Save](#) | [View Saved](#) | [Help](#)

Select Values to Save	Ingredient in DSID (Common Synonyms)	Labeled Amount Per Serving (Valid Range for Prediction)	Predicted Mean Value Per Serving	Standard Error for Predicted Mean	Standard Error for Predicted Observation	Percent Difference From Label for Predicted Mean
<input checked="" type="checkbox"/>	VITAMIN A	<input type="text" value="3000"/> IU (2000 - 17000)	3070 IU	100	980	2.40%
<input type="checkbox"/>	VITAMIN C	<input type="text" value="120"/> mg (32 - 360)	124 mg	2.9	26	3.56%
<input type="checkbox"/>	VITAMIN D	<input type="text" value="400"/> IU (100 - 1000)	452 IU	19	180	13.1%
<input type="checkbox"/>	(vitamin B-1)	<input type="text" value="1.4"/> mg (1.4 - 68)	1.63 mg	0.025	0.27	5.71%
<input type="checkbox"/>	RIBOFLAVIN (vitamin B-2)	<input type="text" value="1.7"/> mg (1.4 - 60)	1.72 mg	0.049	0.43	0.946%

Assign a name for this profile of calculations.

Profile Name:

There are some fields unchanged. Do you want to include default values, or save checked data only?

[Include Default Values](#) | [Save Checked Data Only](#) | [Cancel](#)

**DSID**  
Dietary Supplement Ingredient Database  
A U.S. Government Initiative

4. Choose either 'Include Default Values' (to include the original values shown on the data entry screen plus the data you changed) or 'Use Checked Data Only' (to include only the data you changed) to save your profile.
5. To add additional profiles to the same file, select 'Add a New Profile' above the columns on the review page. Profiles from all DSID calculators can be saved in one file if desired. **[NOTE:** In order to save these files onto your computer, your browser security settings must be configured to allow cookies.]



## Dietary Supplement Ingredient Database



[Home](#)
[Contact](#)
[Help](#)

[DSID-3 Data and Documentation](#)
[Research Summaries](#)
[Data Files](#)
[Adult MVM Calculator](#)
[Children's MVM Calculator](#)
[Non-prescription Prenatal MVM Calculator](#)
[DSID Project](#)
[About DSID](#)
[Current Research](#)
[Publications and Presentations](#)
[Release History](#)
[References Links](#)


### Stored Profiles

This page lists all profiles you want to save. Click "Restart" to remove all these profiles and restart the procedure; click "Add A New Profile" to generate a new profile; click "Download" link to export them into a Microsoft Excel file.


[Restart](#)
[Add A New Profile](#)
[Download](#)
[Help](#)

Name	DSID Calculator	Details						
84948	MVM_NONRX_PRENATAL	Nutrient	Labeled Amount Per Serving	Predicted Mean Value Per Serving	Standard Error for Predicted Mean	Standard Error for Predicted Observation	Percent Difference From Label for Predicted Mean	<a href="#">remove profile</a>
		VITAMIN A	3000 IU	3070	100	980	2.40%	
		VITAMIN C	120 mg	124	2.9	26	3.56%	
		VITAMIN D	400 IU	452	19	180	13.1%	

6. In the next window, view your results and save them as an Excel file (.xls) by selecting 'Download' and filling in the name of your file.

  
 National Institutes  
of Health  
Office of Dietary  
Supplements

## Dietary Supplement Ingredient Database



[Home](#) | [Contact](#) | [Help](#)

**DSID-3 Data and Documentation**

Research Summaries

Data Files

Adult MVM Calculator

Children's MVM Calculator

Non-prescription Prenatal MVM Calculator

**DSID Project**

About DSID

Current Research

Publications and Presentations

Release History

Reference Links

**Stored Profiles**

This page lists all profiles you want to save. Click "Restart" to remove all these profiles and restart the procedure; click "Add A New Profile" to generate a new profile; click "Download" link to export them into a Microsoft Excel file.


[Restart](#) | [Add A New Profile](#) | [Download](#) | [Help](#)

Name	Details					
84948 MVM_NONRX_PRENATAL						<a href="#">remove profile</a>
Nutrient	Labeled Amount Per Serving	Predicted Mean Value Per Serving	Standard Error for Predicted Mean	Standard Error for Predicted Observation	Percent Difference From Label for Predicted Mean	
VITAMIN A	3000 IU	3070	100	980	2.40%	
VITAMIN C	120 mg	124	2.9	26	3.56%	
VITAMIN D	400 IU	452	19	180	13.1%	


7. After clicking download, the Excel file will be in the "downloads" folder or if you are using Internet Explorer web browser, you have to option to save it to a specific folder (see below). To open the downloaded file, go to the directory on your computer where the file was saved (or the 'downloads' folders) and open using Microsoft Excel. Once the file is saved, it can be manually modified and sorted.

**\*Internet Explorer Users:**

Click the arrow next to save, then click save to choose a folder for the file (i.e, My Documents).



**NOTE:** When opening downloaded files in Microsoft Excel, you may receive this warning message. The warning message states “*The file you are trying to open, “file.xls,” is in a different format than specified by the file extension. Verify that the file is not corrupted and is from a trusted source before opening the file. Do you want to open the file now?*” Please note the warning does not affect the file and click ‘Yes’ to continue viewing the file.



Although the warning message does not affect the file, users who wish to remove the warning can follow these instructions:

### To remove error message from DSID file downloads:

This fix will lower the security setting for Windows 7, Excel 07 from the default “1” to “0”:

Step 1. Click Start Button in Windows 7

Step 2. Enter regedit in search window, then click Enter

Step 3. Go to path:

**HKEY\_CURRENT\_USER\Software\Microsoft\Office\12.0\Excel\Security**

Step 4. Click Edit □ New □ DWARD (32-bit) Value

Step 5. Enter ExtensionHardening for the name of file created

Step 6. Right click the file “Extensionhardening”, then click “Modify...”

Step 7. A dialog appears, enter 0 for the “Value data:”

Step 8. Click Ok, and then click Exit in the file from the menu.

- When reviewing the file in Microsoft Excel, please note that all numbers are **stored as text**. If you wish to convert them to number before modifying the data, highlight the rows you wish to convert, click on the yellow diamond to get the drop down menu and choose ‘Convert to Number’.

Profile Name	DSID Calculator	Nutrient	Unit	Labeled Amount Per Serving	Predicted Mean Value Per Serving	Standard Error for Predicted Mean	Standard Error for Predicted Observation	Percent Difference From Label for Predicted Mean
84948	MVM NON	VITAMIN A	IU	3000	3070	100	980	2.40
84948	MVM NON	VITAMIN C	mg	120	124	2.9	26	
84948	MVM NON	VITAMIN D	IU	400	452	19	180	
84948	MVM NON	VITAMIN E	IU	30	31.7	0.82	7.4	
84948	MVM NON	THIAMIN	mg	1.8	1.63	0.029	0.27	
84948	MVM NON	RIBOFLAVIN	mg	1.7	1.72	0.049	0.43	
84948	MVM NON	NIACIN	mg	20	19.9	0.27	2.4	
84948	MVM NON	VITAMIN B-6	mg	2.6	2.52	0.054	0.49	
84948	MVM NON	FOLIC ACID	mcg	800	804	17	160	
84948	MVM NON	VITAMIN B-12	mcg	8	8.23	0.22	1.9	2.86
84948	MVM NON	CALCIUM	mg	200	224	3.7	27	11.8
84948	MVM NON	IRON	mg	30	30.3	0.26	2.5	1.14

- To start a new profile, click 'Restore Default' to change all values back to the original data values before any changes were made.



## Dietary Supplement Ingredient Database



[Home](#)
[Contact](#)
[Help](#)

DSID-3 Data and Documentation

Research Summaries

Data Files

Adult MVM Calculator

Children's MVM Calculator

Non-prescription Prenatal MVM Calculator

DSID Project

About DSID

Current Research

Publications and Presentations

Release History

Non-prescription Prenatal Multivitamin/mineral Calculator

[Restore Default](#)
[Conversions](#)
[Save](#)
[View Saved](#)
[Help](#)

Select Values to Save	Ingredient in DSID (Common Synonyms)	Labeled Amount Per Serving (Valid Range for Prediction)	Predicted Mean Value Per Serving	Standard Error for Predicted Mean	Standard Error for Predicted Observation	Percent Difference From Label for Predicted Mean
<input checked="" type="checkbox"/>	VITAMIN A	<input type="text" value="3000"/> IU (2000 - 17000)	3070 IU	100	980	2.40%
<input type="checkbox"/>	VITAMIN C	<input type="text" value="120"/> mg (32 - 360)	124 mg	2.9	26	3.56%
<input type="checkbox"/>	VITAMIN D	<input type="text" value="400"/> IU (100 - 1000)	452 IU	19	180	13.1%

**NOTE:** Predictions generated from the MVM Nutrient Calculators are estimates and are valid only for interpretation as indicated in the DSID documentation.